Reference No: 91692



Inspection - Plant/Equipment/Machinary Checklist

Rotating Equipment_Maintaining of Rotating Equipment to Prevent Ejection - Maintaining of Rotating Equipment to Prevent Ejection of Projectiles or Fluids

Prompt	Establis	Improven	Δ/N	<u> </u>	Explanation	Comments
Rotating process equipment is subject to a planned maintenance?			<u> </u>		Rotating process equipment is subject to a planned maintenance and inspection program, including internal inspections and preventative maintenance routines.	
Rotating process equipment is subject to a condition monitoring program?			<u> </u>		Rotating process equipment is subject to a condition monitoring program (e.g. vibration analysis, oil analysis, operating performance monitoring etc.).	
Equipment components are replaced or repaired?					Equipment components (e.g. blades, casing, shaft, impeller etc) are replaced or repaired based on defined criteria for condition or service life.	
Replacement components for rotating process equipment are sourced from manufacturer?					Replacement components for rotating process equipment (e.g. blades, casing, shaft, impeller etc.) are sourced from the equipment manufacturer and / or designed and manufactured in accordance with an industry standard.	
Maintenance and inspection schedules are listed in, and tracked by, the site maintenance management system?					Maintenance and inspection schedules for rotating process equipment are listed in, and tracked by, the site maintenance management system.	
People performing are qualified and competent?					People performing maintenance, inspection or monitoring activities on rotating process equipment are qualified and competent in performing the required tasks.	
Supervisor to provide competent resources?					Supervisor to provide competent resources (internal or external) to maintain, inspect and monitor rotating process equipment.	
Supervisor enter maintenance and inspection schedules?][Enter maintenance and inspection schedules for rotating process equipment in the site maintenance management system	
Supervisor verify that rotating process equipment has been inspected?					Verify that rotating process equipment has been inspected and maintained in accordance with the established program	

Prompt	Establis Improvem N/A	Explanation	Comments
Supervisor to review the results of condition monitoring activities and implement?		Review the results of condition monitoring activities and implement the recommendations.	
Supervisor provide competent resources source replacement components ?		Supervisor to provide competent resources to source replacement components.	
Operator/Maintainer to carry out maintenance, inspection and monitoring on rotating process equipment only if authorised by the Responsible Engineer?		Operator to carry out maintenance, inspection and monitoring activities on rotating process equipment only if authorised by the Responsible Engineer.	
Operator/Maintainer comply with the defined criteria for component replacement based on condition or service life?		Comply with the defined criteria for component replacement based on condition or service life.	
Operator/Maintainer to report the results of condition monitoring		Operator to report the results of condition monitoring activities.	

activities?